

Header



Title	Testing PD-3500 - Copy		
Submission ID	194994	Submitted By	Lachapelle, Rob-Admin
Lineup Date	2025-02-26	Supervisor	Lachapelle, Rob-Admin
Site	225 Fielding Office	Department/Job	Home
Shift	Days	Crew	Development
Client Representative	Testing PD-3500 - Copy	Contact Info	Testing PD-3500 - Copy
Safety Topic	Testing PD-3500 - Copy		
Communication Notes	Testing PD-3500 - Copy		
Workplace Impacts	Testing PD-3500 - Copy		

Downstairs Offices

Testing PD-3500 - Copy

Worker	Working Alone?	Special PPE	Eqpt. Type	Eqpt. Location
Lachapelle, Rob-Admin	Yes	Oilers, Long Rubber Gloves (Chemical Resistant)	-	-

Images



Lineup Details

Details
Testing PD-3500 - Copy

Hazards

Location	Description
Downstairs Offices - Barrydowne	HAP - Barrydowne
Downstairs Offices - Workplace for Sarath	test
Downstairs Offices - Workplace for Sarath	My TEsting
Downstairs Offices - Twin Peaks Mining Operations	Ground instability led to soil erosion, exposing equipment to potential damage and safety risks.

External Distribution

Distribution

Reviewers

Name	Position	Date
No Data Available		